

## CPI Electron Device Business - Coaxial Magnetron



The SFD373A is a coaxial magnetron that delivers high peak and average RF power for use in weather radar transmitters.

The SFD373A will mount directly into new and existing sockets and can be operated under various pulse and input conditions to accommodate wide ranging operating requirements. In addition to high power, the SFD373A provides excellent frequency stability, low jitter and long life.

### FEATURES:

- Frequency 5.6 – 5.65 GHz
- Peak power output 320 kW min.
- Duty cycle .001
- Air cooled
- Mechanically tunable

### BENEFITS:

- >40,000 hours life
- Exceptional frequency stability

### APPLICATIONS:

- Weather radars

# CPI EDB C-Band 320 kW Coaxial Magnetron: SFD373A

## Electrical Specifications

Frequency	5.6 – 5.65 GHz
Peak power output (min.)	320 kW
Average power output (min.)	320 W
Pulse voltage	26.0 – 28.0 kV
Peak anode current	26 A
Average anode current	26 mA
Maximum pulse width	3.5 $\mu$ S
Duty cycle	0.001
Maximum filament voltage	10.5 V
Maximum filament current	13 A
Minimum warm-up time	300 S
Maximum load VSWR	1.5:1



## Mechanical and Environmental Specifications

Cooling	Forced air
Maximum body temperature	120°C
Mounting position	Any
Support	Mounting Flange
Coupling	WR187 mates with UG - 148B/U choke flange modified for clearance holes
Tuning	16 turns
Weight	36 lbs. (16.33 kg)

\*Electrical specifications are typical. Other operating conditions are obtainable.

With a history of producing high quality products, we can help your with magnetron.

Contact us at [ElectronDevices@cpiedb.com](mailto:ElectronDevices@cpiedb.com) or call us at +1 978-922-6000.



Beverly Microwave  
Division  
150 Sohler Road  
Beverly, Massachusetts  
USA 01915

tel +1 978-922-6000  
email [ElectronDevices@cpiedb.com](mailto:ElectronDevices@cpiedb.com)  
fax +1 978-922-8914  
web [www.cpiedb.com](http://www.cpiedb.com)

For more detailed information, please refer to the corresponding CPI EDB technical description if one has been published, or contact CPI EDB. Specifications may change without notice as a result of additional data or product refinement. Please contact CPI EDB before using this information for system design.

©2024 CPI Electron Device Business. Company proprietary; use and reproduction is strictly prohibited without written authorization from CPI EDB.