


CPI Electron Device Business - Limiter



With a history of producing high quality products, we can help you with your limiter.

Contact us at ElectronDevices@cpiedb.com or call us at +1 978-922-6000.

FEATURES:

- Frequency: 1.25 - 1.35 GHz
- Peak power:
 - Overload (200 μ S): 60 kW max
 - Normal operating: 15 kW max
- Duty cycle: 0.1 max
- Pulswidth: 100 μ Sec max
- Insertion loss: 0.6 dB max
- VSWR: 1.4:1 max
- Flat leakage: 100 mW max
- Spike leakage: 350 mW max
- Recovery time: 5.0 μ Sec max
- Input: WR650
- Output: Type N female

BENEFITS:

- Low loss
- Wide pulswidth
- High duty cycle

APPLICATIONS:

- Specification variations available for various market uses



Beverly Microwave Division
150 Sohier Road
Beverly, Massachusetts
USA 01915

tel +1 978-922-6000
email ElectronDevices@cpiedb.com
fax +1 978-922-8914
web www.cpiedb.com

For more detailed information, please refer to the corresponding CPI EDB technical description if one has been published, or contact CPI EDB. Specifications may change without notice as a result of additional data or product refinement. Please contact CPI EDB before using this information for system design.

©2025 CPI Electron Device Business. Company proprietary; use and reproduction is strictly prohibited without written authorization from CPI EDB.