


CPI Electron Device Business - Receiver Protector



With a history of producing high quality products, we can help your with receiver protector.

Contact us at ElectronDevices@cpi-edb.com or at call us at +1 978-922-6000.

FEATURES:

- High power operation
- High duty cycle
- Integral BITE fault monitor
- Gate attenuation function

BENEFITS:

- World's largest manufacturer of receiver protectors
- State of the art facility with high level of vertical integration
- Extensive high power test capability
- In-house environmental test facility
- Computer modeling and automatic test capabilities

APPLICATIONS:

- Ground based systems
- Naval radars
- Air traffic control radars
- Weather radars

CPI EDB S-Band 150 kW Receiver Protector: VDS1706




Electrical Specifications

Operating frequency	2.7 – 2.9 GHz
Maximum power	150 kW peak
Maximum pulsewidth *	10 μ Sec
Maximum duty cycle**	0.01
Maximum insertion loss	0.5 dB
Maximum VSWR	1.4:1
Maximum spike leakage power	250 mW
Maximum flat leakage power	100 mW
Maximum recovery time (-1dB)	1.5 μ Sec
Minimum switched attenuation	20 dB
Bias supplies	+15 VDC

BITE: Unit incorporates integral fault monitoring circuit which gives warning in the event of diode failure or high leakage. See product specification for details.

Mechanical and Environmental Specifications

RF input	WR284
RF output	WR284
Power/control connector	D-type, 15 pin
Dimensions	See outline drawing
EMI RF Leakage 2.7 – 2.9 GHz	65 dBc minimum
Susceptibility 2.7 – 2.9 GHz	65 dB minimum
2 nd Harmonic 2.7 – 2.9 GHz 0 dBm	-60 dBc maximum



Beverly Microwave Division
150 Sohler Road
Beverly, Massachusetts
USA 01915

tel +1 978-922-6000
email ElectronDevices@cp-electronics.com
fax +1 978-922-8914
web www.cpi-edb.com

For more detailed information, please refer to the corresponding CPI EDB technical description if one has been published, or contact CPI EDB. Specifications may change without notice as a result of additional data or product refinement. Please contact CPI EDB before using this information for system design.

©2025 CPI Electron Device Business. Company proprietary; use and reproduction is strictly prohibited without written authorization from CPI EDB.